



INCONA

Tel: +46 8 544 900 50
info@incona.se
www.incona.se

Defence & Aerospace

Product Catalogue



Index

Military Grade Filters

Power Line Filter	Facility Power Line Filters	04
	HEMP Power Line Filters	05
Signal Line Filter	Telephone Line Filters	06
	Coaxial EMP Surge Protector	06
Data Line EMP Surge Protector	Serial Port-EMP Surge Protector	06
	Ethernet EMP Surge Protector	07
Control Line Filter		07-08
Secondary Protector		08
Tempest Filter		09
MRI Filter		09
High Performance MIL-Grade Filter for CE		10

Military Grade Filters

Military standards are much more stringent when compared to commercial applications because of negligible room for error. Military Grade Filters are especially used for Point of Entry (POE) protection. They are broadly categorized as Power Line, Data Line and Signal Line Filters covering the power supply and telecommunication equipment in defence applications.



Military Grade Filters / Facility Power Line Filters / Single Phase

Common Mode Facility Filter – SMF911

Operating Voltage
277VAC/380VDC


Current Rating
Up to 3000A

Operating Frequency
50/60Hz

Performance Indicator

Standard	High	Very High
	████████████████████	

Tested as per MIL-STD-461G



Discrete Line Facility Filter – SMF912

Operating Voltage
277VAC/380VDC

Current Rating
Up to 3000A

Operating Frequency
50/60Hz

Performance Indicator

Standard	High	Very High
	████████████████████	

Tested as per MIL-STD-461G

Military Grade Filters / Facility Power Line Filters / Three Phase (3W, 4W)

Common Mode Facility Filter – TMF911

Operating Voltage
480VAC/675VDC


Current Rating
Up to 3000A

Operating Frequency
50/60Hz

Performance Indicator

Standard	High	Very High
	████████████████████	

Tested as per MIL-STD-461G



Discrete Line Facility Filter – TMF912

Operating Voltage
480VAC/675VDC

Current Rating
Up to 3000A

Operating Frequency
50/60Hz

Performance Indicator

Standard	High	Very High
	████████████████████	

Tested as per MIL-STD-461G



Military Grade Filters / HEMP Power Line Filters / Single Phase

Common Mode HEMP Filter – SMF913

Operating Voltage
250VAC


Current Rating
Up to 3000A

Operating Frequency
50/60Hz

Performance Indicator

Standard	High	Very High
	████████████████████	

Tested as per MIL-STD-188-125-1/2



Discrete Line HEMP Filter – SMF914

Operating Voltage
250VAC

Current Rating
Up to 3000A

Operating Frequency
50/60Hz

Performance Indicator

Standard	High	Very High
	████████████████████	

Tested as per MIL-STD-188-125-1/2

Military Grade Filters / HEMP Power Line Filters / Three Phase

Common Mode HEMP Filter – TMF913

Operating Voltage
440VAC


Current Rating
Up to 3000A

Operating Frequency
50/60Hz

Performance Indicator

Standard	High	Very High
	████████████████████	

Tested as per MIL-STD-188-125-1/2



Discrete Line HEMP Filter – TMF914

Operating Voltage
440VAC

Current Rating
Up to 3000A

Operating Frequency
50/60Hz

Performance Indicator

Standard	High	Very High
	████████████████████	

Tested as per MIL-STD-188-125-1/2

Military Grade Filters / Signal Line Filters / Telephone Line Filters

Telephone Line EMP Surge Protector – CMF925



Operating Voltage
95VAC/125VDC

Current Rating
125mA

Number of Lines
1

Performance Indicator

Standard	High	Very High
	████████████████████	

Tested as per MIL-STD-188-125-1/2

Telephone Line Filter – CMF926



Operating Voltage
95VAC/125VDC

Current Rating
300mA

Number of Lines
Up to 32 Lines

Performance Indicator

Standard	High	Very High
	██	

Tested as per MIL-STD-461G

Telephone Line HEMP Filter – CMF927



Operating Voltage
95VAC/125VDC

Current Rating
125mA

Number of Lines
Up to 32 Lines

Performance Indicator

Standard	High	Very High
	██	

Tested as per MIL-STD-188-125-1/2

Military Grade Filters / Signal Line Filters / Co-axial EMP Surge Protector

Co-axial EMP Surge Protector – CMF928



Operating Voltage
100W, 200W, 400W

Surge Current
20kA, 8/20µs

Operating Frequency
DC / 2.5GHz

Tested as per MIL-STD-188-125-1/2



Military Grade Filters / Data Line EMP Surge Protectors / Serial Port

RS422/485 EMP Surge Protector – CMF939



Operating Voltage
± 3VDC peak signal voltage

Current Rating
100mA

Data Rate
12Mbps

Tested as per MIL-STD-188-125-1/2

Military Grade Filters / Data Line EMP Surge Protectors / Ethernet

RJ45 EMP Surge Protector – CMF93A



Operating Voltage
± 3VDC peak signal voltage.
±55VDC peak signal voltage (With POE)

Current Rating
250mA

Data Rate
10/100/1000Mbps

Tested as per MIL-STD-188-125-1/2

Military Grade Filters / Control Line Filters

Control Line EMP Surge Protector – CMF94B



Operating Voltage
± 32VDC/48VDC

Current Rating
Up to 6A

Performance Indicator

Standard	High	Very High
██████████	██████████	██████████

Tested as per MIL-STD-188-125-1/2

AC Control Line Filter – CMF94C



Operating Voltage
250VAC

Current Rating
Up to 10A

Number of Lines
Up to 32 Lines

Performance Indicator

Standard	High	Very High
██████████	██████████	██████████

Tested as per MIL-STD-461G





DC Control Line Filter – CMF94D

Operating Voltage
100VDC

Current Rating
Up to 10A

Number of Lines
Up to 32 Lines

Performance Indicator

Standard	High	Very High
	████████████████████	

Tested as per MIL-STD-461G



AC Control Line HEMP Filter – CMF94E

Operating Voltage
250VAC

Current Rating
Up to 6A

Number of Lines
Up to 32 Lines

Performance Indicator

Standard	High	Very High
	████████████████████	

Tested as per MIL-STD-188-125-1/2



DC Control Line HEMP Filter – CMF94F

Operating Voltage
48VDC

Current Rating
Up to 6A

Number of Lines
Up to 32 Lines

Performance Indicator

Standard	High	Very High
	████████████████████	

Tested as per MIL-STD-188-125-1/2

Military Grade Filters / Secondary Protector



Lightning Connector – CMF950

Available with Various Terminations (BNC-BNC, TNC-TNC, BNC-TNC, N-BNC, N-TNC)

Surge Current
20kA, 8/20µs

Military Grade Filters / Tempest Filters

Single Phase Tempest Filter – MF710



Operating Voltage 250VAC **Current Rating** 1A to 32A **Operating Frequency** 50/60Hz

Performance Indicator

Standard	High	Very High
	████████████████████	



Three Phase Tempest Filter – TMF960



Operating Voltage 440VAC **Current Rating** 3A to 50A **Operating Frequency** 50/60Hz

Performance Indicator

Standard	High	Very High
	████████████████████	

DC Tempest Filter – DMF960



Operating Voltage 48VDC **Current Rating** 3A to 50A

Performance Indicator

Standard	High	Very High
	████████████████████	

Military Grade Filters / MRI Filter

MRI Filter MF420-2CF-M



Operating Voltage 250VAC **Current Rating** 1A to 32A **Operating Frequency** 50/60Hz

Performance Indicator

Standard	High	Very High
	████████████████████	



High Performance MIL-Grade Filter for CE – TMF970



Operating Voltage
440VAC/520VAC

Current Rating
6A to 150A

Operating Frequency
50/60Hz

Performance Indicator

Standard	High	Very High
		

EUROPE

EMI Solutions AB
Stora Wäsby, Gamla Stallet 194 37
Upplands Väsby
Sweden

sales-eu@emisglobal.com

INDIA

EMI Solutions Pvt Ltd
#237-A5, Bommasandra Industrial Area
Hosur Road, Bangalore 560 099
Karnataka, India

sales-in@emisglobal.com

UAE

EMI Solutions FZ-LLC
FOB51725, Compass Building, Al Shohada Road
AL Hamra Industrial Zone-FZ
Ras Al Khaimah, United Arab Emirates

sales-mea@emisglobal.com

www.emisglobal.com